

Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 1 / 7

=UNI EN ISO 9001:2008=					
	Safety data sheet				
SECTION 1. Identification of the	substance/mixture and of the company/undertaking				
1.1. Product identifier					
Code: Product name Chemical name and synonym	SO8200 PRIMOL PLUS Vegetable oil-based resin solution in aliphatic solvent				
1.2. Relevant identified uses of the substanc	e or mixture and uses advised against				
Intended use	e Primer for wood.				
1.3. Details of the supplier of the safety data	sheet				
Name Full address District and Country	CARVER S.r.I. Unipersonale Via Papa Giovanni XXIII, 36 20090 Rodano (MI) Italy Tel. +39 (0)2 9500171 Fax +39 (0)2 95320921				
e-mail address of the competent person responsible for the Safety Data Sheet	sds@carver.it				
Product distribution by	www.carver.it				
1.4. Emergency telephone number					
For urgent inquiries refer to					
SECTION 2. Hazards identification	ארג.				
2.1. Classification of the substance or mixtur	re.				
The product is not classified as hazardous pu amendments and supplements).	ursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent				
Hazard classification and indication:					
2.2. Label elements.					
Hazard labelling pursuant to EC Regulation 1	1272/2008 (CLP) and subsequent amendments and supplements.				
Hazard pictograms:					
Signal words:					

Hazard statements: EUH066

EUH210

Repeated exposure may cause skin dryness or cracking. Safety data sheet available on request.

Precautionary statements: P102

Keep out of reach of children.

2.3. Other hazards.



Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 2 / 7

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# SECTION 3. Composition/information on ingredients.

## 3.1. Substances.

Information not relevant.

## 3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP). VEGETABLE OIL-BASED RESIN CAS 50 - 60 FC INDEX. HYDROCARBONS C11-14 <2% AROMATIC 46 - 54 Asp. Tox. 1 H304, EUH066 CAS. 927-285-2 FC INDEX. Reg. no. 01-2119480162-45 MINERAL CHARGES CAS 1 - 2 FC INDEX. 2,6-DI-TERZ-BUTYL-P-CRESOL (HYDROXYTOLUENE BUTYLATE) CAS. 128-37-0 0 - 0,1 Aquatic Chronic 1 H410 EC. 204-881-4 INDFX Reg. no. 01-2119565113-46

Note: Upper limit is not included into the range. The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures.**

## 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

**4.3. Indication of any immediate medical attention and special treatment needed.** Information not available.

# SECTION 5. Firefighting measures.

## 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

## 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.



SECTION 5. Firefighting measures. ... / >>

# 5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available.

## SECTION 8. Exposure controls/personal protection.

#### 8.1. Control parameters.

Regulatory References:

EU

OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.

#### 2,6-DI-TERZ-BUTYL-P-CRESOL (HYDROXYTOLUENE BUTYLATE)

Threshold Limit Value.									
Туре	Country	TWA/8h		STEL/15r	STEL/15min				
		mg/m3	ppm	mg/m3	ppm				
OEL	EU	2							

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances. HAND PROTECTION None required. SKIN PROTECTION None required.



Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 4 / 7

SECTION 8. Exposure controls/personal protection. />>

EYE PROTECTION
None required.
RESPIRATORY PROTECTION
None required, unless indicated otherwise in the chemical risk assessment.
ENVIRONMENTAL EXPOSURE CONTROLS.
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure
compliance with environmental standards.

# **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.

Appearance	liquid
Colour	various colours
Odour	characteristic, soft
Odour threshold.	Not available.
pH.	Not available.
Melting point / freezing point.	Not available.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	> 70 °C.
Evaporation Rate	Not available.
Flammability of solids and gases	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	0,87 Kg/l
Solubility	soluble in white spirits
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	>20,5 mm2/sec (40°C)
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information.	

Information not available.

## **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials.

Information not available.

#### 10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## **SECTION 11. Toxicological information.**

### 11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 5 / 7

### SECTION 11. Toxicological information. />>

This product may have a degreasing action on the skin, producing dryness and chapped skin after repeated exposure.

HYDROCARBONS C11-14 <2% AROMATIC</th>LD50 (Dermal).> 5000 mg/kg RabbitLC50 (Inhalation).> 5000 mg/kg Rat

2,6-DI-TERZ-BUTYL-P-CRESOL (HYDROXYTOLUENE BUTYLATE) LD50 (Dermal). > 5000 mg/kg Rat

# **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity.

HYDROCARBONS C11-14 <2% AROMATIC LC50 - for Fish. EC50 - for Crustacea.

> 1000 mg/l/96h Fish> 1000 mg/l/48h Tetrahymena pyriformis

- **12.2. Persistence and degradability.** Information not available.
- **12.3. Bioaccumulative potential.** Information not available.

#### 12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

## **SECTION 13.** Disposal considerations.

#### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

After use, immerse the rags which are soaked with the product in water to prevent spontaneous combustion.

# **SECTION 14. Transport information.**

### 14.1. UN number.

Not applicable.

#### 14.2. UN proper shipping name.

Not applicable.

#### 14.3. Transport hazard class(es).

Not applicable.

#### 14.4. Packing group.

Not applicable.



Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 6 / 7

# **SECTION 14. Transport information.** ... / >> 14.5. Environmental hazards. Not applicable. 14.6. Special precautions for user. Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code. Information not relevant. **SECTION 15. Regulatory information.** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture. Seveso category. None. Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006. None. Substances in Candidate List (Art. 59 REACH). None Substances subject to authorisarion (Annex XIV REACH). None Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None. Substances subject to the Rotterdam Convention: None. Substances subject to the Stockholm Convention: None. Healthcare controls. Information not available. VOC (Directive 2004/42/EC) : Minimal build woodstains. VOC given in g/litre of product in a ready-to-use condition : 700,00 (2010) Limit value: VOC of product : 425,00 15.2. Chemical safety assessment. No chemical safety assessment has been processed for the mixture and the substances it contains. **SECTION 16. Other information.** Text of hazard (H) indications mentioned in section 2-3 of the sheet: Asp. Tox. 1 Aspiration hazard, category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1 May be fatal if swallowed and enters airways. H304 H410 Very toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)



Revision nr.5 Dated 06/06/2016 Printed on 06/06/2016 Page n. 7 / 7

## SECTION 16. Other information. />>

- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

- The Merck Index. - 10th Edition

- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 11 / 15 / 16.