1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

SECTION 01: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name:

Multi-Purpose Cleaner Professional

SDB-group

19432001

UFI:

not necessary

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation

Surface cleaning

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Clouth

Lackfabrik GmbH & Co. KG Otto-Scheugenpflug-Straße 2

63073 Offenbach/Main

Germany

Tel.: +49 69 - 89 00 7 - 0 / Fax : +49 69 - 89 00 7 - 140

E-Mail: info@clou.de / www.clou.de

· Further information obtainable from:

Laboratory:

Tel.: +49 69 89 00 7 - 104 / Fax: +49 69 89 00 7 - 48104

E-Mail: cosima.sattler@clou.de

• 1.4 Emergency telephone number:

Giftinformationszentrum - Nord Universitätsklinikum

Bereich Humanmedizin

Robert Koch Str.40

37075 Göttingen

Deutschland

Tel.: + 49 551 / 1 92 40

SECTION 02: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Void

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- · Hazard pictograms

Void

Signal word

Void

Hazard statements

EUH210 Safety data sheet available on request.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT:

Not applicable.

(continued on page 2)

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 1)

vPvB:

Not applicable.

SECTION 03: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

EC number: 203-539-1

Record number 01-2119457435-35 Flam. Liq. 3 - H226; STOT SE 3 -

H336

111-76-2 2-butoxyethanol 2,5-10

EC number: 203-905-0

Record number 02-2119764899-11
Acute Tox. 3 - H311; Acute Tox.
4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2

- H315, Eye Irrit. 2 - H319 Oral: ATE = 1200 mg/kg

SVHC

This product contains no substances in the SVHC list in a concentration > 0,1 %.

Additional information:

For the wording of the listed risk phrases refer to section 16.

SECTION 04: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take off or remove contaminated clothing immediately.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Seek medical treatment in case of complaints.

· After skin contact:

Wash thoroughly with soap and water immediately and rinse well.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink copious amounts of water and provide fresh air. Call for a doctor immediately.

· Information for doctor:

Treat symptomatically.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 2)

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Product is not combustible.

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- Protective equipment:

No special measures required.

SECTION 06: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Protection regulations (see point 7 and 8) to consider.

• 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

In case of seepage into the ground inform responsible authorities.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Possible warning the neighbourhood.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 07: Handling and storage

- · Handling:
- · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Use only in well ventilated areas.

Smoking, drinking and eating are not permitted at the working place!

Do not breathe in fumes.

Do not empty into drains.

· Information about fire - and explosion protection:

No special measures required.

Vapours are heavier than air.

- · Storage:
- Requirements to be met by storerooms and receptacles:

The official regulations for the storage of paints and varnishes and Chemicals must be observed.

Information about storage in one common storage facility:

Store away from foodstuffs.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Storage class:

12

7.3 Specific end use(s)

For more information, please refer to the technical data sheet.

GB

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 3)

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

1-methoxy-2-propanol

WEL

Short-term value 560 mg/m3 150 ppm 375 Long-term value mg/m3 100 ppm

Sk

111-76-2 2-butoxyethanol

WEL

Short-term value 50 ppm Long-term value 25 ppm

DNELs

107-98-2

07-98-2 1-methoxy-2-propanol inhalativ, DNEL/DMEL: 43,9 mg/m3 (Consumer, Long Term Exposure) inhalativ, DNEL/DMEL: 369 mg/m3 (Worker, Long Term Exposure) inhalativ, DNEL/DMEL: 553,5 mg/m3 (Worker, Short Term Exposure) Dermal, DNEL/DMEL: 78 mg/kg (Consumer, Long Term Exposure) Dermal, DNEL/DMEL: 183 mg/kg (Worker, Long Term Exposure) Oral, DNEL/DMEL: 33 mg/kg (Consumer, Long Term Exposure)

2-butoxyethanol 111-76-2

inhalativ, DNEL/DMEL: 59 mg/m3 (Consumer, Long Term Exposure) inhalativ, DNEL/DMEL: 246 mg/m3 (Worker, Long Term Exposure) inhalativ, DNEL/DMEL: 147 mg/m3 (Consumer, Short Term Exposure) inhalativ, DNEL/DMEL: 246 mg/m3 (Worker, Short Term Exposure) Dermal, DNEL/DMEL: 75 mg/kg (Consumer, Long Term Exposure) Dermal, DNEL/DMEL: 125 mg/kg (Worker, Long Term Exposure) Dermal, DNEL/DMEL: 89 mg/kg (Consumer, Short Term Exposure) Dermal, DNEL/DMEL: 89 mg/kg (Worker, Short Term Exposure) Oral, DNEL/DMEL: 6,4 mg/kg (Consumer, Long Term Exposure) Oral, DNEL/DMEL: 26,7 mg/kg (Consumer, Short Term Exposure)

PNECs

107-98-2 1-methoxy-2-propanol

PNEC: 10 mg/l (Fresh water) PNEC: 1 mg/l (Seawater)

PNEC: 100 mg/l (Liberation - sporadic -)

PNEC: 100 mg/l (Defecator)

PNEC: 52,3 mg/kg (sediment (Fresh water) PNEC: 5,2 mg/kg (sediment (seawater)

PNEC: 4,59 mg/kg (Bottom)

2-butoxyethanol

PNEC: 8,8 mg/l (Fresh water)

PNEC: 0,88 mg/l (Seawater)

PNEC: 26,4 mg/l (Liberation - sporadic -)

PNEC: 463 mg/l (Defecator)

PNEC: 34,6 mg/kg (sediment (Fresh water) PNEC: 3,46 mg/kg (sediment (seawater)

PNEC: 2,33 mg/kg (Bottom)

8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

(continued on page 5)

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

Avoid contact with the skin.

(continued of page 4)

- Respiratory protection: If the solvent concentration is above WEL limits, a breathing mask approved for this purpose must be worn. Filter A1
- Protection of hands: The glove material has to be impermeable and resistant to the product
 the substance/ the preparation. Selection of the glove material on consideration of the
 penetration times, rates of diffusion and the degradation. Preventive skin protection by use
 of skin-protecting agents is recommended. Protective gloves made of latex / neoprene.
 Degradation effect G to E Instalment of permeation E to ND (< 0.9 µg / cm 2 / min).
 Protective factor index: special subject class 6. After use of gloves apply skin-cleaning
 agents and skin cosmetics.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	at 20,00 °C 9,5
Change in condition Phase transfer: liquid-gaseous	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100,0 °C
Flash point (approximately):	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature (approximately):	Not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is non combustible.
Explosive properties:	Product does not present an explosion hazard.
Oxidising properties	Not determined
Vapour pressure:	Not determined.
Density:	0,9750 g/cm3
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity (according to DIN 53211)	
Dynamic:	Not determined.
Kinematic:	at 20,00 °C 11,00 s DIN 4 mm
Solvent separation test:	< 3 %
Solvent content (approximately):	
Organic solvents (approximately):	20,00 %
VOC (EC)	195,00 g/l
9.2 Other information	No further relevant information available.

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 5)

SECTION 10: Stability and reactivity

10.1 Reactivity

On storage in containers no traffic laws intolerances are to be expected with the tank shell.

10.2 Chemical stability

Stable at room temperature

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

· 10.4 Conditions to avoid

No further relevant information available.

• 10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol

Oral, LD50: 4016 mg/kg (rat)

Dermal, LD50: 13500 mg/kg (Rabbit)

Inhalative, LC50/4h: > 20 mg/l (rat)

111-76-2 2-butoxyethanol

Oral, LD50: 1200 mg/kg (ATE) Oral, LD50: 1480 mg/kg (rat)

Dermal, LD50: 400 mg/kg (Rabbit)

Inhalative, LC50/4h: > 3,1 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Frequent and prolonged skin contact can cause irritation and inflammation of the skin.

· Serious eye damage/irritation

Irritating effect.

Respiratory or skin sensitisation

No sensitising effects known.

Additional toxicological information:

The breathing in of solvent proportions above the value of M. W. C.-value can lead to health damages, such as irritating mucous membranes and respiratory organs, kidney and liver damages as well as to the impairment of the central nervous system. Signs and symptoms: Headache, dizziness and tiredness, myasthenia, numbing effect and also unconsciousness in exceptional cases. Longer and repeated skin contact can lead to drying out the skin or to skin irritations, respectively. Solvent splashes can lead to eye irritations and reversible damages. In such cases a physician should be consulted at once.

2-butoxyethanol and its acetate are skin resorptive and cause harmful effects to the blood.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

(continued on page 7)

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 6)

· Aspiration hazard

Based on available data, the classification criteria are not met.

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

```
107-98-2 1-methoxy-2-propanol
Dermal, L(E)C50: > 4000 mg/l (fish)
Dermal, L(E)C50: > 1000 mg/l (alga)
Dermal, L(E)C50: 23300 mg/l (daphnie)
```

111-76-2 2-butoxyethanol
Dermal, L(E)C50: 1474 mg/l (fish)
Dermal, L(E)C50: 1840 mg/l (alga)
Dermal, L(E)C50: 1550 mg/l (daphnie)
Dermal, NOEC: >100 mg/l (fish)
Dermal, NOEC: 100 mg/l (daphnie)

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

- · Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT:

Not applicable.

vPvB:

Not applicable.

· 12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

The mentioned waste code number according to the European waste code catalogue are regarded as a recommendation. A final determining has to be effected in agreement with the regional place of waste disposal as well as the competent authorities.

Waste disposal key:

20 01 13 / solvents

• European waste catalogue

20
MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS 20 01
separately collected fractions (except 15 01)
20 01 13
solvents

· Uncleaned packaging:

Disposal of uncleaned packagings according to European waste code number 15 01 10.

Recommendation:

(continued on page 8)

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 7)

Disposal according to 15 01 04 (metal).

EAK-Nummer 15 01 02 / plastic

Packaging can be reused or recycled after cleaning.

· Recommended cleansing agents:

Water, if necessary with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number

ADR Void
IMDG Void
IATA Void
ADR Void
IMDG Void
IMDG Void
IATA Void

14.3 Transport hazard class(es)

ADR

Class Void IMDG

Class

Class Void

IATA

Class Void

14.4 Packing group

ADR Void IMDG Void IATA Void

• 14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- Transport/Additional information:

Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Pregnant and breastfeeding women and young persons.

15.2 Chemical safety assessment:

(continued on page 9)

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

(continued of page 8)

For this product no appraisal of substance safety was carried out. Information from exposure scenarios of the following substances were integrated into section 1-16:

2-butoxyethanol

1-methoxy-2-propanol

The compliance with the application conditions and measures for risk minimisation contained in this material safety data sheet ensures the conformity with the existing exposure scenarios.

Storage class:

1 2

SECTION 16: Other information

Sonstige Angaben

Reasons for changes

The ufi is no longer necessary.

· Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.

OL 10 11 1 D L 1 (FO) N 4070/00

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing MSDS:

Laboratory / Department of Material Safety Data Sheets:

Phone: +49 69 89 00 7 - 104 E-Mail: cosima.sattler@clou.de

· Information:

The information given in this safety data sheet is based on the present level of knowledge, but does not represent an assurance of product characteristics.

The user is responsible for observing all necessary legal regulations.

For further information on the handling and application of the product(s), please refer to our label and the technical instructions leaflet or contact our Customer Service Department on Tel.: +49 69 / 89 00 7 - 0.

According to § 14 GefStoffV the employer must provide instruction to the employees affected on the basis of the operating instructions every year. The content and time of the instruction is to be recorded in writing and confirmed by signatures from those receiving instruction.

Please observe work safety measures in items 8 and 15.

Use only for intended purposes. Keep out of the reach of children.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(continued on page 10)

Page: 10 / 10

Safety data sheet as per 1907/2006/EC, Article 31

1082400

Reviewed on: 30.08.2022 Printing date: 30.08.2022

PRODUCT: Multi-Purpose Cleaner Professional

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative * Data compared to the previous version altered. (continued of page 9)