816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

SECTION 01: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- Trade name:

TEAK OIL

SDB-group

23208

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation

Surface protection

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Clouth

Lackfabrik GmbH & Co. KG

Otto-Scheugenpflug-Straße 2

63073 Offenbach/Main

Germany

Tel.: +49 69 - 89 00 7 - 0 / Fax: +49 69 - 89 00 7 - 140

E-Mail: info@clou.de / www.clou.de

· Further information obtainable from:

Laboratory:

Tel.: +49 69 89 00 7 - 104 / Fax: +49 69 89 00 7 - 48104

E-Mail: cosima.sattler@clou.de

• 1.4 Emergency telephone number:

Giftinformationszentrum - Nord

Universitätsklinikum Bereich Humanmedizin

Robert Koch Str.40

37075 Göttingen

Deutschland

Tel.: + 49 551 / 1 92 40

SECTION 02: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Void

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

Void

· Signal word

Void

· Hazard statements

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment

(continued on page 2)

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

· PBT:

(continued of page 1)

Not applicable.

· vPvB:

Not applicable.

SECTION 03: Composition/information on ingredients

- · 3.2 Mixtures
- Description:

Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS Number 1174522-09-8

Hydrocarbons, C10-C13, n-alkanes,

50-100

isoalkanes, cyclics, <2% aromatics

EC number: 918-481-9

Record number 01-2119457273-39

◆ Asp. Tox. 1 - H304

SVHC

This product contains no substances in the SVHC list in a concentration > 0,1 %.

Additional information:

For the wording of the listed risk phrases refer to section 16.

SECTION 04: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take off or remove contaminated clothing immediately.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Seek medical treatment in case of complaints.

After skin contact:

Wash thoroughly with soap and water immediately and rinse well.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink copious amounts of water and provide fresh air. Call for a doctor immediately.

· Information for doctor:

Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(continued on page 3)

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

· 5.3 Advice for firefighters

(continued of page 2)

- Protective equipment:
- Protective equipment.

Mouth respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Bring if possible, containers from the danger zone. With heating up, printing increase, Berst and danger of explosion.

SECTION 06: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Protection regulations (see point 7 and 8) to consider.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Possible warning the neighbourhood.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 07: Handling and storage

· Handling:

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Use only in well ventilated areas.

Smoking, drinking and eating are not permitted at the working place!

Keep out of the reach of children.

Do not breathe in fumes.

Do not empty into drains.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Vapours are heavier than air.

Soiled material such as cleaning rags, paper tissues and protective clothing can spontaneously selfignite after several hours. To avoid the danger of fire, all soiled material should be soaked in water and stored in a closed metal container.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

The official regulations for the storage of paints and varnishes and Chemicals must be observed.

· Information about storage in one common storage facility:

Store away from foodstuffs.

In accordance with VbF, TRbF, TRGS.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Storage class:

10

7.3 Specific end use(s)

For more information, please refer to the technical data sheet.

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

(continued of page 3)

SECTION 08: Exposure controls/personal protection

- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Avoid contact with the skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands: The glove material has to be impermeable and resistant to the product the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Preventive skin protection by use of skin-protecting agents is recommended. Protective gloves made of latex / neoprene. Degradation effect G to E Instalment of permeation E to ND (< 0.9 µg / cm 2 / min). Protective factor index: special subject class 6. After use of gloves apply skin-cleaning agents and skin cosmetics.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Eye protection: Safety glasses
- **Body protection: Protective work clothing**

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and che	emical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not usable on solvent preparations.
Change in condition Phase transfer: fluid	- solid
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	135,0 °C
Flash point (approximately):	63,0 °C DIN 51 755
Flammability (solid, gas):	Not applicable.
Ignition temperature (approximately):	240,00 °C (lowest value of the single components)
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting. Due to the danger of self-ignition soaked cloths, however, should be moistened with water and eliminated then.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	0,60 Vol %
Upper:	6,50 Vol %
Oxidising properties	Not determined
Vapour pressure:	Not determined.
	(continued on page 5

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT ·	TFAK OII

	(continued of page	? 4)
Density:	0,8200 g/cm3	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with	Organic solvents	
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity (according to DIN 53211)		
Dynamic:	Not determined.	
Kinematic:	$> = 20,5 \text{ mm2/s } (40^{\circ}\text{C})$	
Solvent separation test:	< 3 %	
Solvent content (approximately):		
Organic solvents (approximately):	78,00 %	
VOC (EC)	640,00 g/l	
Solids content (approximately):	22,00 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

On storage in containers no traffic laws intolerances are to be expected with the tank shell.

· 10.2 Chemical stability

Stable at room temperature

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Forms explosive gases/fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

· 10.4 Conditions to avoid

No further relevant information available.

· 10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Flammable gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- · LD/LC50 values relevant for classification:

1174522-09-8 Hydrocarbons, C10-C13, n-alkanes, isoalkanes,

cyclics, <2% aromatics

Oral, LD50: > 5000 mg/kg (rat)

Dermal, LD50: > 5000 mg/kg (Rabbit)

Inhalative, LC50/4h: > 5 mg/l (rat)

• Primary irritant effect:

· Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking. Irritant to skin and mucous membranes.

Serious eye damage/irritation

Irritating effect.

· Respiratory or skin sensitisation

No sensitising effects known.

Additional toxicological information:

(continued on page 6)

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: **TEAK OIL**

(continued of page 5)

The breathing in of solvent proportions above the value of M. W. C.-value can lead to health damages, such as irritating mucous membranes and respiratory organs, kidney and liver damages as well as to the impairment of the central nervous system. Signs and symptoms: Headache, dizziness and tiredness, myasthenia, numbing effect and also unconsciousness in exceptional cases. Longer and repeated skin contact can lead to drying out the skin or to skin irritations, respectively. Solvent splashes can lead to eye irritations and reversible damages. In such cases a physician should be consulted at once.

The product shows the following dangers based on the calculation method of the General EU Classification Guidelines for Substances and Mixtures according to the CLP Regulation in the latest version:

EUH066 Repeated exposure may cause skin dryness or cracking.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

1174522-09-8 Hydrocarbons, C10-C13, n-alkanes, isoalkanes,

cyclics, <2% aromatics

Dermal, L(E)C50: > 100 mg/l (fish)

Dermal, L(E)C50: > 100 mg/l (alga)

Dermal, L(E)C50: > 100 mg/l (daphnie)

Dermal, NOEC: > 0,1 - 1,0 mg/l (fish) Dermal, NOEC: > 0,1 - 1,0 mg/l (daphnie)

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

- Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Other adverse effects

No further relevant information available.

GB

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

SECTION 13: Disposal considerations

(continued of page 6)

· 13.1 Waste treatment methods

· Recommendation

The mentioned waste code number according to the European waste code catalogue are regarded as a recommendation. A final determining has to be effected in agreement with the regional place of waste disposal as well as the competent authorities.

· Waste disposal key:

08 01 11 waste paint and varnish containing organic solvents or other hazardous substances

· European waste catalogue

0.8

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01

wastes from MFSU and removal of paint and varnish

08 01 11

waste paint and varnish containing organic solvents or other hazardous substances $% \left(1\right) =\left(1\right) +\left(1\right) +$

· Uncleaned packaging:

Disposal of uncleaned packagings according to European waste code number 15 01 10.

· Recommendation:

Disposal according to 15 01 04 (metal).

EAK-Nummer 15 01 02 / plastic

Packaging can be reused or recycled after cleaning.

The product is not self-igniting. However, soak used rags in water and dispose of them due to the danger of self-ignition.

Recommended cleansing agents:

Teak Cleaner

SECTION 14: Transport information

14.1 UN-Number

ADR Void
IMDG Void
IATA Void
ADR Void
IMDG Void
IMDG Void
IATA Void

14.3 Transport hazard class(es)

ADR

Class Void IMDG

Class Void
IATA
Class Void

14.4 Packing group

ADR Void
IMDG Void
IATA Void

14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Not applicable.

 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(continued on page 8)

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

· Transport/Additional information:

Not applicable.

(continued of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- · National regulations:
- · Information about limitation of use:

Pregnant and breastfeeding women and young persons.

• 15.2 Chemical safety assessment:

A Chemical Safety Assessment for mixtures is not provided.

Storage class:

10

SECTION 16: Other information

- · Other information:
- Reasons for changes

The hazardous substance classification according to Preparations Directive 1999/45/EG has changed (see point 2).

There was a raw material replacement.

Under point 3 a substance has been removed.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing MSDS:

Laboratory / Department of Material Safety Data Sheets: Phone: +49 69 89 00 7 - 104 / Fax: +49 69 89 00 7 - 48104/ E-Mail: cosima.sattler@clou.de

· Information:

The information given in this safety data sheet is based on the present level of knowledge, but does not represent an assurance of product characteristics.

The user is responsible for observing all necessary legal regulations.

For further information on the handling and application of the product(s), please refer to our label and the technical instructions leaflet or contact our Customer Service Department on Tel.: +49 69 / 89 00 7 -124, -107 or -227.

According to § 14 GefStoffV the employer must provide instruction to the employees affected on the basis of the operating instructions every year. The content and time of the instruction is to be recorded in writing and confirmed by signatures from those receiving instruction.

Please observe work safety measures in items 8 and 15.

Use only for intended purposes. Keep out of the reach of children.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

(continued on page 9)

Page: 9/9

Safety data sheet as per 1907/2006/EC, Article 31

816900

Reviewed on: 15.10.2018 Printing date: 15.10.2018

PRODUCT: TEAK OIL

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

(continued of page 8)